

515 SR MENS

Occupational shoes
PPE risk category II



515 SR MENS

Shoe upper:	Oxford, Suede leather
Outsole:	Nitrile
Size(s):	40-46,5, 47,5, 49
Packaging unit:	1 pair(s)
Certification:	EN ISO 20347

New Balance 515 SR Mens, Occupational Shoes, OB E HRO SRC, Width D, breathable Oxford upper, reinforced with suede at high-wear areas for increased durability, black, resistant nitrile outsole, slip-resistant, lightweight EVA midsole for optimal cushioning, heat-resistant outsole (up to 300°C for at least 60 seconds), padded shaft for improved support, TPU heel clip for additional stability, best possible slip resistance (SRC), ESD-capable, PPE Risk Category II

EN ISO 20347 EN IEC 61340-4-3



327



Further images



Colour variants



515 SR MENS
Colour code: 1000



515 SR MENS
Colour code: 1200

Additional information

Miscellaneous

Weight (g) 327

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
40	4897118161190	4059904198647	0,608 m	0,407 m	0,34 m	10 kg	
40,5	4897118161237	4059904198654	0,608 m	0,407 m	0,34 m	10 kg	
41,5	4897118161244	4059904198661	0,608 m	0,407 m	0,34 m	10 kg	
42	4897118161251	4059904198678	0,608 m	0,407 m	0,34 m	10 kg	
42,5	4897118161268	4059904198685	0,665 m	0,427 m	0,345 m	10 kg	
43	4897118161275	4059904198692	0,665 m	0,427 m	0,345 m	10 kg	
44	4897118161282	4059904198708	0,665 m	0,427 m	0,345 m	10 kg	
44,5	4897118161299	4059904198715	0,665 m	0,427 m	0,345 m	10 kg	
45	4897118161305	4059904198722	0,67 m	0,477 m	0,365 m	10 kg	
45,5	4897118161312	4059904198739	0,67 m	0,477 m	0,365 m	10 kg	
46,5	4897118161329	4059904198746	0,67 m	0,477 m	0,365 m	10 kg	
47,5	4897118161336	4059904198753	0,67 m	0,477 m	0,365 m	10 kg	
49	4897118161343	4059904198760	0,67 m	0,477 m	0,365 m	10 kg	

Customs tariff number: 64041990000

Country of origin: China